

From: [Foi Enquiries](#)
To: [REDACTED]
Subject: EIR-17-1293 - Scotstown Road
Date: 27 September 2017 15:59:00
Attachments: [Further Information - Right to Review & Appeal.pdf](#)
[EIR-17-1293 - Scotstown Road.pdf](#)

Dear [REDACTED]

Thank you for your information request of 6 September 2017. Aberdeen City Council (ACC) has completed the necessary search for the information requested.

As freedom of information, can you please send details of inspections/work carried out between mid July and mid August this year for road and car park on Scotstown Road Bridge of Don. Numbers 21 to 27 - Co-op, Betting shop, newspaper shop, Boots the chemist. library

Please refer to the attached Site History report [EIR-17-1293 – Scotstown Road](#). Please note that the report is reflective of the entirety of Scotstown Road, as this is how the reports are recorded and cannot be reduced to specific areas.

Please note that **third party names and personal details** have been redacted (blacked out) from the attached Site History report. This is because ACC considers that this information is excepted from disclosure. In order to comply with its obligations under the terms of Regulation 13 of the EIRs, ACC hereby give notice that we are refusing your request under the terms of Regulation 11(2) in conjunction with Regulation 11(3)(a)(i) – Personal Information - of the EIRs.

In making this decision ACC considered the following points:

ACC is of the opinion that Regulation 11(2) applies to the information specified above as the information in question is personal information relating to living individuals, and the applicant is not the data subject.

ACC is of the opinion that Regulation 11(3)(a)(i) applies, as ACC considers that disclosure of this information would be a breach of the first Data Protection Principle (that personal information must be processed fairly and lawfully) and second Data Protection Principle (personal information must only be processed for a specific and lawful purpose). Third parties named within the attached document would not expect ACC to release this information about them into the public domain under the EIRs (or the Freedom of Information (Scotland) Act 2002 (FOISA)).

We hope this helps with your request.

Yours sincerely,

Anna Buchan
Information Compliance Officer

INFORMATION ABOUT THE HANDLING OF YOUR REQUEST

As the information which you requested is environmental information, as defined under Regulation 2(1) of the Environmental Information (Scotland) Regulations 2004 (the EIRs), ACC considered that it was exempt from release through FOISA, and must therefore give you notice

that we are refusing your request under Section 39(2) of FOISA (Freedom of Information (Scotland) Act 2002). However, you have a separate right to access the information which you have requested under Regulation 5 of the EIRs, under which ACC has handled your request. Please refer to the attached PDF for more information about your rights under the EIRs.

Information Compliance Team
Customer Service
Corporate Governance
Aberdeen City Council
3rd Floor North
Business Hub 17
Marischal College
Broad Street
ABERDEEN AB10 1AQ

foienquiries@aberdeencity.gov.uk

Tel 03000 200 292

*03000 numbers are free to call if you have 'free minutes' included in your mobile call plan.
Calls from BT landlines will be charged at the local call rate of 10.24p per minute (the same as 01224s).

www.aberdeencity.gov.uk

Effective: 15/07/2017 to 15/08/2017

Display Action Officer: No

Contract: Roads Contract (General Maint) (RD01)

Site: SCOTSTOWN ROAD (7600302)

Site: SCOTSTOWN ROAD (7600302)

Locality: BRIDGE OF DON, ABERDEEN, ABERDEEN CITY

Area: Aberdeen North

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1,000.00	Asset - Locn.:	N/03/2056 - SCOTSTOWN ROAD (3)	Feature Type:	RDS Road Section		Area:	Aberdeen North
Batch:	537282 - Inspection Batch		Route:	Adhoc Inspection			Date:	08/08/2017
466059	Repair surface damage to carriageway, 2m2 approx	08/08/2017	Shops car park	Sunken Carriageway	Internal		Committed	717504
Batch:	536516 - Inspection Batch		Route:	Week: 18 - Area: 03			Date:	26/07/2017
465874	Fill pothole, 400 x 300 x 40 approx	26/07/2017	Approx 40m northbound of Shielhill junction on edge of carriageway	Pot Hole	Internal		Committed	717213
465875	Remove loose material and repair area of sunken and damaged carriageway, 6m x1m approx	26/07/2017	Approx 80m northbound of Perwinnies Cottage	Sunken Carriageway	Internal		Committed	717212
Batch:	536513 - Inspection Batch		Route:	Adhoc Inspection			Date:	26/07/2017
465871	Fill six potholes of various size, largest, 1m x 500 x 40 approx and repair surface damage to carriageway, 2m2 approx	26/07/2017	Scots town library car park - Bridge of Don	Pot Hole	Internal		Committed	717209
Asset:	1,002.00	Asset - Locn.:	1 - Jesmond Drive-Grass verge	Feature Type:	RDS Verge		Area:	Aberdeen North
Batch:	536517 - Inspection Batch		Route:	Week: 18 - Area: 03			Date:	26/07/2017
	No actionable defects found							
Asset:	1,008.00	Asset - Locn.:	1 - Bridge of Don-Footway, West side	Feature Type:	RDS Footway		Area:	Aberdeen North
Batch:	536518 - Inspection Batch		Route:	Week: 18 - Area: 03			Date:	26/07/2017
	No actionable defects found							

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1,000.00	Asset - Locn.: N/03/2056 - SCOTSTOWN ROAD (3)		Feature Type: RDS Road Section		Area: Aberdeen North	
67518	Pothole on c way = 400mm x 400mm x 75mm (Pot Hole)	At bend between Shielhill Road junctios	.RD 2 Day	Job Closed	16/02/2010		
162084	centre line's with hatch markings (Road Marking)	from jnct Gordon PI to the library	.RD 14 Day	Job Cancelled	21/10/2011	04/11/2011	Est.
178971	Damaged FH cover at edge of carriageway	Opposite access to Middle Bodachra Farm	.RD 14 Day	Job Closed	19/11/2013	03/12/2013	Est.
185550	refresh double intermittent centre line and hatched area	from near Gordon Place junction to North Donside road hatched area	.RD 28 Day	Order Printed	09/07/2014	06/08/2014	Est. RD01/8725
192110	Remove existing tar & reinstate 8mtrx1.5mtr with Bitmac. (TMC required) (Sunken Carriageway)	Just passed speed sign left turn into Shielhill Road.	.RD 14 Day	Job Closed	11/04/2015	27/04/2015	Est.
197700	Road seam needs hot-box repair along with 4 other potholes, various sizes (Sunken Carriageway)	At junction of Cameron Street extending 50m back to bus shelter	.RD 14 Day	Order Printed	26/10/2015	09/11/2015	Est. RD01/21214

Effective: 15/07/2017 to 15/08/2017

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: SCOTSTOWN ROAD (7600302)

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset: 1,000.00		Asset - Locn.: N/03/2056 - SCOTSTOWN ROAD (3)		Feature Type: RDS Road Section		Area: Aberdeen North	
197701	Remove area of broken and cracked tar, 12m x 1m approx, and hot-box repair as required (Sunken Carriageway)	60m after opening to Perwinnes Cottage	.RD 14 Day	Order Printed	26/10/2015	09/11/2015	Est. RD01/21214
198535	Repair sunken carriageway (10m x 300 x 55) (Sunken Carriageway)	At lampost no.17	.RD 14 Day	Order Printed	16/11/2015	30/11/2015	Est. RD01/21459
199960	Clean / jet gully (Blocked Gully)	At corner from Shielhill Road coming onto Scotstown Road	.RD 14 Day	Order Printed	12/01/2016	26/01/2016	Est. RD01/21862
199961	Clean / jet gully (Blocked Gully)	At lampost no.25	.RD 14 Day	Order Printed	12/01/2016	26/01/2016	Est. RD01/21862
199962	Repair sunken carriageway on road seam, total area 20m2 approx (Sunken Carriageway)	Between lampost nos. 16-19	.RD 7 Day	Order Printed	12/01/2016	19/01/2016	Est. RD01/21887
700255	Repair carriageway erosion between Shielhill junction and Heybrook cottage, on southbound carriageway, total area 5m2 approx (Sunken Carriageway)	SCOTSTOWN ROAD	.RD 14 Day	Order Printed	19/01/2016	02/02/2016	Est. RD01/21904
701039	Area of damaged wearing course, 24m x 6m approx, requires jet patch repair (Sunken Carriageway)	At Scotstown Road shops car park	.RD 28 Day	Order Printed	04/02/2016	03/03/2016	Est. RD01/24097
702995	Area of surface damage, 4m x 1m, requires jet patch repair (Sunken Carriageway)	Opposite entrance to re-cycling centre on eastbound carriageway	.RD 28 Day	Order Printed	28/03/2016	25/04/2016	Est. RD01/24097
705300	Repair split carriageway seam, total 5m2 approx (Sunken Carriageway)	From opposite shops car park to opposite lampost no. 8	.RD 14 Day	Order Printed	25/05/2016	08/06/2016	Est. RD01/23350
706019	Repair damaged road seam and all other surface damage to carriageway, total 5m2 approx (Sunken Carriageway)	Between lampost nos. 17-19	.RD 14 Day	Order Printed	16/06/2016	30/06/2016	Est. RD01/23933
706020	Repair surface damage to road seam, total 5m2 (Sunken Carriageway)	From opposite entrance to shops car park to opposite entrance to Cairnfold Road	.RD 14 Day	Order Printed	16/06/2016	30/06/2016	Est. RD01/23932
710981	Fill approx twelve potholes of various size, largest 1m x 600 x 40 approx (Pot Hole)	In car park for Scotstown Road shops	.RD 14 Day	Order Printed	09/01/2017	23/01/2017	Est. RD01/25651
710982	Fill pothole, 900 x 400 x 40 approx and fill area of sunken carriageway, 6m x 1m x 40 approx (Pot Hole)	Approx 80m northbound of Perwinnes Cottage	.RD 14 Day	Order Printed	09/01/2017	23/01/2017	Est. RD01/25651

Effective: 15/07/2017 to 15/08/2017

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: SCOTSTOWN ROAD (7600302)

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset: 1,000.00		Asset - Locn.: N/03/2056 - SCOTSTOWN ROAD (3)		Feature Type: RDS Road Section		Area: Aberdeen North	
717209	Fill six potholes of various size, largest, 1m x 500 x 40 approx and repair surface damage to carriageway, 2m2 approx (Pot Hole)	Scots town library car park - Bridge of Don	.RD 14 Day	Contractor Completed	26/07/2017	03/08/2017	Act. RD01/28142
717212	Remove loose material and repair area of sunken and damaged carriageway, 6m x 1m approx (Sunken Carriageway)	Approx 80m northbound of Perwinnies Cottage	.RD 14 Day	Order Printed	26/07/2017	09/08/2017	Est. RD01/28161
717213	Fill pothole, 400 x 300 x 40 approx (Pot Hole)	Approx 40m northbound of Shielhill junction on edge of carriageway	.RD 14 Day	Contractor Completed	26/07/2017	27/07/2017	Act. RD01/28160
717504	Repair surface damage to carriageway, 2m2 approx (Sunken Carriageway)	Shops car park	.RD 14 Day	Contractor Completed	08/08/2017	12/08/2017	Act. RD01/28276
Asset: 1,002.00		Asset - Locn.: 1 - Jesmond Drive-Grass verge		Feature Type: RDS Verge		Area: Aberdeen North	
709964	Electronic slow down sign needs to be adjusted to face traffic (Vandalised Sign)	Approx 100m past Causewayend Farmhouse, northbound	.RD 14 Day	Job Raised	15/11/2016	29/11/2016	Est.
Asset: 1,009.00		Asset - Locn.: 1 - Bridge of Don-Carriageway		Feature Type: RDS Carriageway		Area: Aberdeen North	
66394	Pothole on c way = 1m x 400mm x 60mm (Pot Hole)	Near Lamp Standard No 18	.RD 7 Day	Job Closed	19/01/2010		
175882	Damaged Crash Barrier - Renew one section visirail - (Enquiry 559795)	Third barrier on east side near junction with The Parkway	.RD 28 Day	Job Cancelled	18/06/2013	17/07/2013	Est.

Effective: 15/07/2017 to 15/08/2017

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: SCOTSTOWN ROAD (7600302)

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 10,069.00	Asset - Locn.: P/T 2 - AT CAMERON STREET		Feature Type: SL - Traffic Sign		Area: Aberdeen North	
498980	Damaged Sign - FAO : ACC Roads Response service, Reference No : ROADS26940 Site (Street/Park/etc) : Scotstown Road Bridge of Don Location : Road near Black Dog Pub First Type of Fault : Other Additional Information : Some of 20mph flashing lights were not working before the school holidays. Can you check this out please. Name : XXXXXXXXXX Address Line 1 : XXXXXXXXXX Association Telephone Number : XXXXXXXXXX Email Address : XXXXXXXXXX (Enquiry 642840)	Scotstown Road	.Routine Maintenance	Job Raised	20/10/2015		