

**From:** Foi Enquiries  
**Sent:** 22 February 2019 14:03  
**To:** [REDACTED]  
**Subject:** EIR-19-0203 - Inspection Records - Union Street  
**Attachments:** V2 - Further Information - Right to Review & Appeal.pdf; EIR-19-0203 - Union Street Reports\_Redacted.pdf

Dear [REDACTED],

Your Reference: [REDACTED].

Thank you for your information request of 1 February 2019. Aberdeen City Council (ACC) has completed the necessary search for the information requested. Our response is now detailed below.

### **Accident on 3 January 2019 on Union Street**

**We refer to the above and would be grateful if you could provide us with the undernoted information relative to repair, maintenance and inspection of the area of Union Street footpath near the Holburn Junction, specifically the outside area between Tesco Express and Reed Aberdeen**

#### **Is this pavement adopted by the council in terms of the Roads (Scotland) Act 1984?**

This pavement is adopted.

#### **What inspection interval have you identified as being appropriate for this pavement? What factors were used in assessing the particular inspection interval?**

Fortnightly inspections as this is a city centre footway.

#### **Please provide all copies of repair, maintenance and inspection records for the footpath area between 1 January 2018 to present (1 February 2019)**

Please see report attached.

Please note that third party names and personal details, as well as the names of ACC Officers who are below Chief Officer level have been redacted (blacked out) from the attached documents. This is because ACC considers that this information is exempted from disclosure. In order to comply with its obligations under the terms of Regulation 13 of the EIRs, ACC hereby gives notice that we are refusing this part of your request under the terms of Regulation 11(2) in conjunction with Regulation 11(3)(a)(i) – Personal Information - of the EIRs.

In making this decision ACC considered the following points:

ACC is of the opinion that Regulation 11(2) applies to the information specified above as the information in question is personal information relating to living individuals, of which the applicant is not the data subject.

ACC is of the opinion that Regulation 11(3)(a)(i) applies, as we consider that disclosure of this information would be a breach of the 'lawfulness, fairness and transparency' principle. These individuals have not consented to the disclosure of this information and ACC does not consider that they would expect ACC to release this information about them into the public domain under the FOISA.

#### **Please provide any photocopies of any photographs you hold of the area**

No photographs are held for this specific section of Union Street.

ACC is unable to provide you with information on **any photocopies of any photographs you hold of the area** as it is not held by ACC. In order to comply with its obligations under the terms of Section 17 of the FOISA, ACC hereby gives notice that this information is not held by it.

We hope this helps with your request.

Yours sincerely,

Grant Webster  
Access to Information Officer

### **INFORMATION ABOUT THE HANDLING OF YOUR REQUEST**

As the information which you requested is environmental information, as defined under Regulation 2(1) of the Environmental Information (Scotland) Regulations 2004 (the EIRs), ACC considered that it was exempt from release through FOISA, and must therefore give you notice that we are refusing your request under Section 39(2) of FOISA (Freedom of Information (Scotland) Act 2002). However, you have a separate right to access the information which you have requested under Regulation 5 of the EIRs, under which ACC has handled your request. Please refer to the attached PDF for more information about your rights under the EIRs.

**Grant Webster** | Access to Information Officer

Aberdeen City Council | Access to Information Team | Customer Feedback | Customer  
Marischal College | Business Hub 17, 3<sup>rd</sup> Floor | Broad Street | Aberdeen | AB10 1AQ

Dial: 01224 522166

[www.aberdeencity.gov.uk](http://www.aberdeencity.gov.uk) | Twitter: @AberdeenCC | Facebook.com/AberdeenCC

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

Site: UNION STREET (7600082)

Locality: ABERDEEN, ABERDEEN CITY

Area: Aberdeen Central

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1,000.00	Asset - Locn.: S/30/2358 - UNION STREET		Feature Type: RDS Road Section		Area: Aberdeen Central	
64916	Pot Hole	1	.RD 7 Day	Job Closed	10/11/2009	18/11/2009	Est.
66004	clean and jet gulley completely blocked (Blocked Gully)	outside KFC	.RD 14 Day	Job Closed	17/12/2009		
67862	rocking gully and fire hydrant	Office 101/103	.RD 14 Day	Job Cancelled	01/03/2010	15/03/2010	Est.
153701	Jammed gully lid	at Court	.RD 3 Months	Job Cancelled	04/11/2010	01/02/2011	Est.
153702	Jammed gully lid	opposite Court	.RD 3 Months	Job Cancelled	04/11/2010	01/02/2011	Est.
153948	reset gulley frame loose and rocking	outside gamestation	.RD 7 Day	Job Cancelled	15/11/2010	22/11/2010	Est.
173133	clean and jet blocked gully	outside KFC at corner diamond street	.RD 7 Day	Job Cancelled	07/03/2013	14/03/2013	Est.
177365	repair area of raised carraigway as required to make safe	beside first bus travel centre opposite bus shelter ( see John Shearer	.RD 28 Day	Job Cancelled	26/08/2013	23/09/2013	Est.
177366	repair area of sunken carraigway as required to make safe	on double yellow lines at pedestrian crossing at junction of crown street See [REDACTED] Photo number 2 )	.RD 28 Day	Job Cancelled	26/08/2013	23/09/2013	Est.
177367	repair area of sunken carraigway as required to make safe	in middle of carraigway at manhole opposite Gilcomstone Church See [REDACTED] Photo number 3 )	.RD 28 Day	Job Cancelled	26/08/2013	23/09/2013	Est.
177368	repair area of sunken carraigway as required to make safe	on bus lane just before junction bon accord street See [REDACTED] Photo number 4 )	.RD 28 Day	Job Cancelled	26/08/2013	23/09/2013	Est.
181632	repair app 1 sq mtr of sunken carraigway at utility track (Sunken Carraigway)	outside number 218 at smile dentalcare at old failed utility **	.RD 14 Day	Job Cancelled	20/02/2014	06/03/2014	Est.
197449	rocking slabs, 2no lift and relay.	1st beside sevice lids, at black and lizars opticians, opps holburn jct, 2nd 30 yds east bound.at enid hut.	.RD 2 Day	Order Printed	09/10/2015	13/10/2015	Est. RD01/21022
719165	Repair sunken ( Bus Lane) depression on Carrageway as identified in attached pics. Enquiry ref number; MP041975. Member of the public tripped and stumbled at this location. (Sunken Carraigway)	Union Street between Dee Street and Bonacord Street. Bus Lane opposite Music Hall and CoOp outside Burgerking and Greggs.	.RD 28 Day	Job Raised	16/11/2017	14/12/2017	Est.
719780	clean and jet gully	junction with Chapel Street	.RD 14 Day	Contractor Completed	05/01/2018	14/01/2018	Act. RD01/29270
719781	clean and jet gully	junction Rose Street	.RD 14 Day	Contractor Completed	05/01/2018	14/01/2018	Act. RD01/29270
719913	Find and Fix - repaired pothole done by a 200x300x50	outside Black and Lizars	.Routine Maintenance	Contractor Completed	10/01/2018	09/01/2018	Act.
719980	Find and Fix pothole repaired by 500x400x50	w/b lane at pret a manger	.Routine Maintenance	Contractor Completed	11/01/2018	10/01/2018	Act.

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset:	1,000.00	Asset - Locn.: S/30/2358 - UNION STREET		Feature Type: RDS Road Section		Area: Aberdeen Central	
720086	Find and Fix pothole repaired by 300x300x50	at traffic lights up from starbucks	.Routine Maintenance	Contractor Completed	16/01/2018	15/01/2018	Act.
720131	Find and Fix - repair pothole done by - 4000x1000x250	474	.Routine Maintenance	Contractor Completed	17/01/2018	14/01/2018	Act.
720165	Find and Fix - repair pothole done by -	514	.Routine Maintenance	Contractor Completed	17/01/2018	01/01/2018	Act.
720296	Repair pothole 400x600x60 - repaired by	just before Huntly Street	.RD 7 Day	Contractor Completed	23/01/2018	22/01/2018	Act.
720346	clean and jet gully	outside 484	.RD 14 Day	Contractor Completed	24/01/2018	31/01/2018	Act. RD01/29494
720667	clean and jet 3 gullies	from Rose Street to Summer Street	.RD 14 Day	Order Printed	05/02/2018	19/02/2018	Est. RD01/29621
720871	Find and Fix - repair 2 potholes done by 400x400x50 (dips on road)	outside pret a manger	.Routine Maintenance	Contractor Completed	14/02/2018	12/02/2018	Act.
721962	Find and Fix repair pothole around 3 scottish water covers done by	outside dr noodles	.Routine Maintenance	Contractor Completed	15/03/2018	14/03/2018	Act.
722218	pothole, 500x400x60.	bus lane at kerbside heading north approx 40 mtrs just before bridge street.	.RD 7 Day	Contractor Completed	19/03/2018	20/03/2018	Act. RD01/30098
722450	Find and Fix - repair pothole 300x300x40 done by fsc70922223	junction rose street	.Routine Maintenance	Contractor Completed	23/03/2018	22/03/2018	Act.
722451	Find and Fix - repair pothole 700x400x40 done by fsc70921815	outside 474	.Routine Maintenance	Contractor Completed	23/03/2018	22/03/2018	Act.
722725	Find and Fix potholes repaired by - fsc71803125	between Union Row and Huntly Street	.Routine Maintenance	Contractor Completed	04/04/2018	03/04/2018	Act.
723116	Find and Fix repaired 37 potholes done by	whole street	.Routine Maintenance	Contractor Completed	16/04/2018	15/04/2018	Act.
723775	clean and jet 2 gullies - fsc74993283	outside burger king and on dee street at junction with union street as attached plan	.RD 14 Day	Contractor Completed	11/05/2018	13/05/2018	Act. RD01/30717
723885	Find and Fix - repair rocking slab done by - fsc75597804	outside 204	.Routine Maintenance	Contractor Completed	16/05/2018	15/05/2018	Act.
724019	clean and jet gully - fsc75935533	outside 118 (Beaverbrooks)	.RD 14 Day	Contractor Completed	22/05/2018	23/05/2018	Act. RD01/30832
724045	Find and Fix 2 potholes repaired by - 600x600x50	slip road	.Routine Maintenance	Contractor Completed	23/05/2018	18/05/2018	Act.
724813	Clean and jet gully done by	jctn with crown street	.Routine Maintenance	Contractor Completed	27/06/2018	30/05/2018	Act.
724814	Clean and jet gully done by	jctn bon accord street	.Routine Maintenance	Contractor Completed	27/06/2018	30/05/2018	Act.
724958	Repair 2 potholes 300x200x30 and 300x300x30	Chapel Street junction in pedestrian crossing	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31407

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Asset: 1,000.00</b>		<b>Asset - Locn.: S/30/2358 - UNION STREET</b>		<b>Feature Type: RDS Road Section</b>		<b>Area: Aberdeen Central</b>	
726669	Find and Fix - covered over sunken gas/water lobies	just beyond 343	.Routine Maintenance	Contractor Completed	12/10/2018	11/10/2018	Act.
727498	Repair pothole	outside Pret A Manger e/bound	.Routine Maintenance	Contractor Completed	29/11/2018	29/11/2018	Act. RD01/33134
727586	clean and jet gully	outside 202	.RD 14 Day	Contractor Completed	05/12/2018	08/12/2018	Act. RD01/33198
727587	clean and jet gully	outside 484	.RD 14 Day	Contractor Completed	05/12/2018	08/12/2018	Act. RD01/33199
728417	Find and Fix - repair pothole done by	outside pret a manger	.Routine Maintenance	Contractor Completed	31/01/2019	27/01/2019	Act.
<b>Asset: 1,001.00</b>		<b>Asset - Locn.: 1 - Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
64314	test (Broken Slab)	test	.RD 2 Day	Job Closed	21/10/2009		
198470	remove all broken and loose slabs and relay new slabs ( traffic silver street overriding) (Broken Slab)	Outside betfred down from South silver street	.RD 7 Day	Order Printed	12/11/2015	19/11/2015	Est. RD01/21394
198471	lift and relay sunken nal cover and all sunken slabs and setts (Sunken Footway)	Outside betfred down from South silver street	.RD 7 Day	Order Printed	12/11/2015	19/11/2015	Est. RD01/21394
711736	Lift and relay 2 x rocking Caithness slabs ( loosened by fitting of new sign) (Rocking Slab) ***HOLD***	At top of back Wynd steps next to new information sign	.Routine Maintenance	Job Raised	30/01/2017	27/02/2017	Est.
712572	Lift and reset sunken footway gully as required (Iron Works)	Outside McDonald's restaurant	.RD 7 Day	Order Printed	19/02/2017	27/02/2017	Est. RD01/26194
722456	reset 2 tactiles and 1 slab done by - fsc70990779	outside starbucks on union street	.Routine Maintenance	Contractor Completed	23/03/2018	22/03/2018	Act.
722552	repair loose lab - fsc71041527 - repaired by	229	.Routine Maintenance	Contractor Completed	27/03/2018	25/03/2018	Act.
722553	repair loose lab - fsc71042041 - repaired by	438	.Routine Maintenance	Contractor Completed	27/03/2018	25/03/2018	Act.
723012	repoint ,old utility pocket. 300x300x40.	outside gilcomston church, beside scaffolding to kerbside setts.	.RD 7 Day	Contractor Completed	11/04/2018	13/04/2018	Act. RD01/30364
723715	Find and Fix - repair 4 loose/rocking slabs done by FSC74612186	431	.Routine Maintenance	Contractor Completed	10/05/2018	09/05/2018	Act.
723716	Find and Fix - repair 9 loose/rocking slabs done by FSC74611591	outside mostyn mckenzie	.Routine Maintenance	Contractor Completed	10/05/2018	09/05/2018	Act.
723824	rocking raised slabs, find and fix.	from heart foundation to gilcomston church.	.RD 7 Day	Contractor Completed	15/05/2018	20/05/2018	Act. RD01/30756
724142	rocking raised sunken broken slabs,tiles and bricklets.lift and relay ,replace where required.	as per attached photos,find and fix.	.RD 7 Day	Contractor Completed	25/05/2018	27/05/2018	Act. RD01/30924
724204	Find and Fix - repair loose slab done by - fsc76802582	outside 413	.Routine Maintenance	Contractor Completed	30/05/2018	29/05/2018	Act.
724488	Find and Fix 1 rocking slab and 2 lock block done by	outside Santander	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset:	1,001.00	Asset - Locn.: 1 - Footway		Feature Type: RDS Footway		Area: Aberdeen Central	
724489	Find and Fix 3 rocking slabs and 4 lock block done by	outside 173 - paddypower	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724490	Find and Fix 1 rocking slab repaired by	outside 255	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724491	Find and Fix 2 rocking slabs and 4 lock block done by	outside 245	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724492	Find and Fix 1 rocking slab repaired by	outside 257	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724493	Find and Fix 3 rocking slabs repaired by	outside 259	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724494	Find and Fix 4 rocking slabs and 10 lock block done by	outside trailfinders	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724495	Find and Fix 2 rocking slabs done by	jctn bon accord street	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724496	Find and Fix 1 rocking slabs repaired by	outside 363	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724497	Find and Fix 3 rocking slabs repaired by	outside 454	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724498	Find and Fix 1 rocking slabs repaired by	outside 440	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724499	Find and Fix 3 rocking slabs repaired by	outside 256	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724500	Find and Fix 4 rocking slabs repaired by	outside 252	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724501	Find and Fix 1 rocking slabs repaired by	outside 254	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724502	Find and Fix 2 rocking slabs repaired by	outside 248	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724503	Find and Fix 2 rocking slabs repaired by	outside 220	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724504	Find and Fix 2 rocking slabs repaired by	outside 218	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724505	Find and Fix 2 rocking slabs repaired by	outside 216	.Routine Maintenance	Contractor Completed	13/06/2018	10/06/2018	Act.
724925	Replace 400x400 slab, break out, cut pole stump and repaint	outside Cruise at bus stop under the clock	.RD 7 Day	Contractor Completed	04/07/2018	05/08/2018	Act. RD01/31440
724926	Make rainwater channel safe and reset 2 lock block	outside Cruise at bus stop under the clock	.RD 7 Day	Order Printed	04/07/2018	11/07/2018	Est. RD01/31439
724927	reset 2 lock block	outside Yorkshire Building Society by bus stop	.RD 7 Day	Contractor Completed	04/07/2018	06/07/2018	Act. RD01/31438
724928	Lift and Relay 5 x 400x400 loose and rocking slabs	The Essence at junction with Bon Accord Terrace	.RD 7 Day	Contractor Completed	04/07/2018	08/07/2018	Act. RD01/31437
724929	Lift and Relay 2x2 slab and replace broken 2x2 slab	outside Justice Mill at traffic light pole	.RD 7 Day	Contractor Completed	04/07/2018	08/07/2018	Act. RD01/31436
724930	Replace broken rocking 2x2 slab	outside AM/PM	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31435

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset:	1,001.00	Asset - Locn.: 1 - Footway		Feature Type: RDS Footway		Area: Aberdeen Central	
724931	replace broken 2x2 slab	outside empty shop next to new building	.RD 7 Day	Contractor Completed	04/07/2018	11/07/2018	Act. RD01/31434
724932	Repoint around double inspection chambers	outside Holburn House next to William Hill	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31433
724933	Lift and Relay 2 x 2x2 rocking slabs	outside old post office	.RD 7 Day	Contractor Completed	04/07/2018	07/07/2018	Act. RD01/31432
724934	Replace broken/cut slab at water meter covers	outside Reed next to Tesco	.RD 7 Day	Order Printed	04/07/2018	11/07/2018	Est. RD01/31431
724935	Replace 3x2 sunken broken slab, lift and relay 2x2 slab beside door, replace cut slab by water cover and repoint	outside Enid Hutt gallery	.RD 7 Day	Contractor Completed	04/07/2018	05/08/2018	Act. RD01/31430
724936	Replace cut slab at water toby, lift and relay 2x2 and 3x2 slabs	outside 498	.RD 7 Day	Contractor Completed	04/07/2018	05/08/2018	Act. RD01/31429
724937	Lift and relay 2x2 slab and replace 3x2 slab	outside starbucks	.RD 7 Day	Contractor Completed	04/07/2018	16/07/2018	Act. RD01/31428
724938	Replace 2x2 broken/rocking slab	outside 440 byrant recruitment near letter box on wall	.RD 7 Day	Contractor Completed	04/07/2018	07/07/2018	Act. RD01/31427
724939	Repoint along side of nal access chamber	outside pret a manger beside post box	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31426
724940	Repoint along side of nal access chamber	outside pret a manger at traffic signal	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31425
724941	Fill sunken carriageway 1.5mx2mx60mm	outside starbucks junction of Huntly street by planter	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31424
724942	Repoint along edge of triple BT cover	outside british heart foundation at bus stop	.RD 7 Day	Contractor Completed	04/07/2018	05/07/2018	Act. RD01/31423
724943	Lift and relay 400x400 slab and replace cut 400x400 slab	outside KFC at kerbside	.RD 7 Day	Contractor Completed	04/07/2018	22/07/2018	Act. RD01/31422
724944	Replace 2x2 broken/rocking slab	outside Electric Fizz close to diamond street junction	.RD 7 Day	Contractor Completed	04/07/2018	07/07/2018	Act. RD01/31421
724945	Lift and relay cut 2x2 slab at edge of chamber	outside Chaophraya by comms box	.RD 7 Day	Contractor Completed	04/07/2018	07/07/2018	Act. RD01/31420
724946	Lift and Relay caithness slab roundel	outside money shop junction Belmont Street	.RD 7 Day	Contractor Completed	04/07/2018	25/07/2018	Act. RD01/31419
725618	Lift and Relay slab done by db/sh	outside British Heart Foundation	.Routine Maintenance	Contractor Completed	09/08/2018	08/08/2018	Act.
725711	Find and Fix - repair 2 slabs done by	outside aberdein considene	.Routine Maintenance	Contractor Completed	15/08/2018	09/08/2018	Act.
726372	lift and relay slabs done by	245	.Routine Maintenance	Contractor Completed	21/09/2018	20/09/2018	Act.
726822	Repair loose slab done by	at junction with Rose Street	.Routine Maintenance	Contractor Completed	24/10/2018	21/10/2018	Act.
727292	Reset loose paving slab done by	outside capitol building	.Routine Maintenance	Contractor Completed	20/11/2018	20/11/2018	Act.
727639	Replace slab done by	close to ladbrokes	.Routine Maintenance	Contractor Completed	10/12/2018	06/12/2018	Act.
727894	Lift and relay rocking slab done by	start of herras fencing on Union Bridge	.Routine Maintenance	Contractor Completed	04/01/2019	13/12/2018	Act.

Effective: 01/01/2018 to 01/02/2019

Contract: Roads Contract (General Maint) (RD01)

Display Action Officer: No

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	<b>Asset: 1,001.00</b>	<b>Asset - Locn.: 1 - Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
727930	Missing slab temp repair with viafix done by	junction with Summer Street	.Routine Maintenance	Contractor Completed	04/01/2019	27/12/2018	Act.
728042	rocking slabs and brick/setts, lift and relay level off.	at ent to 259,victoria house, as per attached photo.	.RD 7 Day	Order Printed	09/01/2019	16/01/2019	Est. RD01/33401
728227	Replace missing slab done by	outside 411	.RD 2 Day	Contractor Completed	21/01/2019	21/01/2019	Act.
	<b>Asset: 1,004.00</b>	<b>Asset - Locn.: 7 - Market Street to Bridge Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
10654	Blocked Gully (Blocked Gully)	0	Standard	Job Closed	08/08/2007		
	<b>Asset: 1,005.00</b>	<b>Asset - Locn.: 9 - Belmont Street to Union Terrace-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
64800	DUPLICATE	DUPLICATE	.RD 7 Day	Job Closed	04/11/2009		
64801	DUPLICATE	DUPLICATE	.RD 7 Day	Job Closed	04/11/2009		
	<b>Asset: 1,006.00</b>	<b>Asset - Locn.: 19 - Summer Street to Chapel Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
12926	yjepjznfn zkgjadfnngg	vcbzc	.Routine Maintenance	Job Closed	05/10/2007		
	<b>Asset: 1,011.00</b>	<b>Asset - Locn.: 5 - Adelphi to Market Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
54273	lift and relay 1 No 3x2 rocking slab. Replace 1 No smashed 2x2 slab.	outside alliance & leicester MARKED	.RD 7 Day	Job Closed	13/08/2008	20/08/2008	Est.
	<b>Asset: 1,014.00</b>	<b>Asset - Locn.: 20 - Bon-Accord Terrace to Holburn Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
52737	setts subsided kerbside. (Repaint 0 Column)		.RD 2 Day	Job Closed	30/06/2008		
	<b>Asset: 1,020.00</b>	<b>Asset - Locn.: 14 - South Silver Street to Huntly Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
59145	2 x2 slab rocking (Rocking Slab) at information umbrella at music hall		.RD Emergency	Job Closed	16/03/2009	17/03/2009	Est.
	<b>Asset: 1,021.00</b>	<b>Asset - Locn.: 15 - Dee Street to Bon-Accord Street-Footway</b>		<b>Feature Type: RDS Footway</b>		<b>Area: Aberdeen Central</b>	
14912	rocking 3x2. and piece of slab. marked. (Rocking Slab)	0	.RD 2 Day	Job Closed	10/12/2007		
16237	2x2. rock. marked. (Rocking Slab)	0	.RD 2 Day	Job Closed	28/01/2008		
	<b>Asset: 10,000.00</b>	<b>Asset - Locn.: 1 - AT NO 5</b>		<b>Feature Type: SL - Street Lamp</b>		<b>Area: Aberdeen Central</b>	
497714			.Routine Maintenance	Job Raised	26/08/2015		SL01/120190
497714			.Routine Maintenance	Job Raised	26/08/2015		SL01/120070
	<b>Asset: 100,050.00</b>	<b>Asset - Locn.: 9051082682 UNION STREET, AB11 5BN</b>		<b>Feature Type: W - Commercial Waste Property</b>		<b>Area: Aberdeen Central</b>	
10092341	Missed Bin - **MISSED RECYCLING BIN COLLECTION** Two missed recycling bins (Enquiry 677080)	Union Street	.Routine Maintenance	Job Raised	21/10/2016		



Effective: 01/01/2018 to 01/02/2019

Display Action Officer: No

Contract: Roads Contract (General Maint) (RD01)

Site: UNION STREET (7600082)

**Maintenance Management**

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 100,491.00	Asset - Locn.: 9051060492 -	INION STREET, AB10 1TS	Feature Type: W - Domestic Waste Property	Area: Aberdeen Central		
10085826	Complaint - Waste - Good Afternoon,	Union Street	.Routine Maintenance	Job Raised	29/07/2016		

reported  
that their bins were missed  
earlier today (confirm ID:  
668458). Their general waste bin  
has now been collected but no  
one has returned for their mixed  
recycling. Could someone go  
back ASAP to uplift this please?

Thanks for your time.

Kind regards,

- 29/7/2016 2:06pm - 29/7/2016  
4:49pm CS. (Enquiry 1031129)